Development of a High-Risk Pregnant Women Class Model with the Application of Inter Professional Education -Collaboration Practice (IPE-CP)

Sudarmi Sudarmi, Bertalina Bertalina, Yuni Kusmiyati, Abdul Wahab

ABSTRACT

OBJECTIVE: To obtain a procedural model for pregnant women aimed at pregnant women who are classified as high risk by implementing Inter-Professional Education - Collaboration Practice (IPE-CP). METHODOLOGY: This study was carried out with the ADDIE research method. The study's purpose was to obtain a class model of pregnant women classified as high-risk by applying the IPE-CP concept. Data collection techniques include interviews, questionnaires, documentation, FGDs and expert input. The model trial was conducted in 5 classes with a sample size of 100 pregnant women aged < 32 weeks.

Quantitative data analysis uses descriptive-analytic and qualitative data validation, classification and triangulation.

RESULTS: A model for developing classes for pregnant women was obtained, with modification of activity procedures: The implementation team consisted of interprofessional collaboration, implementation of education with the application of IPE-CP, screening for high-risk pregnant women was carried out, and assistance was provided for high-risk pregnant women. The results of the trial of the feasibility of the highest model on the criteria of benefit with a score of 86.14 and SD. 12,171.

CONCLUSION: The IPE-CP Class Model for Pregnant Women is feasible to be implemented for pregnant women who are classified as high-risk. Suggestions for the need to develop a class

model for pregnant women that are carried out by application or online system.

KEYWORDS: Model, Class of pregnant women, High Risk, Inter-professional Education Collaboration Practice (IPE-CP)

This article may be cited as:	Sudarmi S, Bertalina B, Kusmiyati Y, Wahab A. Development of a High-Risk
	Pregnant Women Class Model with the Application of Inter Professional Education - Collaboration Practice (IPE-CP). J Liaquat Uni Med Health Sci. 2022; 21(04):
	245-51. doi: 10.22442/jlumhs.2022.00968. Epub 2022 November 18.

INTRODUCTION

The target for reducing the Maternal Mortality Rate (MMR) proclaimed by the United Nations (U.N.) in 2024 is 102/100,000 live births; in Indonesia, it is targeted at 183/100,000, and by 2030 it is expected to decrease to 131/100,000 live births¹. The results of the Millennium Development Goals (MDGs) evaluation of MMR in Indonesia based on the 2015 Intercensus population survey were 305/100,000 live births.

The high maternal mortality rate (MMR) in Indonesia results from the low quality of health services and local government policies related to health that has not been maximized². Efforts to reduce MMR include strengthening maternal health services at the primary health care level by prioritizing promotive and preventive efforts³. Preventive steps are in the form of providing education to pregnant women through pregnant women classes⁴.

Guidelines for implementing the pregnant women class program are based on the technical manual for

Received:	01-06-2022
Revised:	07-11-2022
Accepted:	08-11-2022
Published Online:	18-11-2022

the pregnant class according to the Ministry of Health of the Republic of Indonesia in 2014⁵. The target class of pregnant women is aimed at all conditions of pregnant women; there is no special education for pregnant women classified as high-risk. Providing education following the mother's health condition is very much needed because pregnant women at high risk are very susceptible to complications that can threaten the life of the mother or the fetus caused as a direct result of the pregnancy and childbirth process⁶. The identification approach to Oechsle Anja 2020⁷ and Mohamed Saffa 2019⁸ risk is not an important reason. Still, on the contrary, preparing knowledge in pregnant women can further improve the welfare of the mother and fetus.

According to the author's observations, implementing the pregnant women's class program is currently less effective. The organizers of activities and educator facilitators are only active midwives, and other health professionals are less actively involved. For the program to be implemented more effectively and achieve maximum education for pregnant women, a strategy is needed, with the formation of an implementing team and educational facilitators Development of a High-Risk Pregnant Women Class Model

involving various health workers from different backgrounds who collaborate, with patients. Families and communities in providing education to pregnant women^{9,10}.

Based on the background and existing problems, the researcher will research developing the pregnant mother class model used in Indonesia today by the activity procedures: modifying planning, implementation, mentoring, monitoring and evaluation with the application of IPE-CP. The purpose of this study was to obtain a class model for pregnant women aimed at pregnant women at high risk with the application of inter-professional educationcollaboration practice (IPE-CP). The results of this study are expected that the existence of a class model for pregnant women is more effective and more focused for pregnant women to get precise information about maternal health problems during pregnancy so that with increased knowledge and attitudes of pregnant women, complications of pregnancy and childbirth can be prevented maximally.

METHODOLOGY

This study was carried out with the ADDIE research method developed by Borg WR 1989¹¹ & Dick W 2001¹². Includes the stages: Analyze, Design, Develop, Implement and Evaluate¹¹. The research includes focus needs analysis, planning, implementation, and monitoring. The study aimed to obtain a class model of pregnant women classified as implementing Inter-professional hiah-risk bv Education-Collaboration Practice (IPE.Cp). The research was carried out in May-October 2020. The research locations were carried out at Public Health Centre (PKM) in five sub-districts (Tanjung Bintang, Penengahan, Ketapang, Way Urang and Karang Anvar), taken based on a random allocation from 17 sub-districts in the Southern Lampung district of Lampung province in Indonesia.

RESULTS

1- Potential and needs analysis (Table I).

2. Design development and validation models

The design of the development model for the implementation of high-risk pregnant class procedures with the application of IPE-CP is based on a needs analysis, and seeing the potential and validation is carried out. The results of the FGD and input from the four models of the developed design procedures are: 1) Team formation is included in the planning procedure, and the implementation team consists of several health professionals. 2) Socialization is carried out at the village level by involving relevant stakeholders and the community. 3) Implementation procedure is carried out at the beginning of the activity screening; pregnant women at high risk are assessed, treated and monitored according to the problem. 4). Provision of education is carried out by applying IPE-CP. 5) Existence of cross-program and sector cooperation. 6) Mentoring is provided for pregnant women classified as high-risk until the mother goes through the process of giving birth. 7) Implementation of monitoring and evaluation is made into a series of activities.

3. The final results of developing the IPE-CP pregnant women class procedure model, after revisions have been made, are as follows in **Figure I**.

The results of the development of the IPE-CP class model procedure for pregnant women obtained changes according to the needs and conditions in the field, namely as follows:

Planning: The implementation team for the class for pregnant women is a collaborative interprofessional team involving several related professions, namely: Doctors, Midwives, Nutritionists, Health Promotion staff, laboratory personnel and Sanitarians experts. Each profession has a straightforward task and is committed to educating pregnant women according to their expertise.

Screening: All pregnant women before getting the class for pregnant women; at the first meeting, screening was carried out; the purpose of the screening was to see whether the health status of pregnant women was included in the risk category or

TABLE I: DISTRIBUTION OF POTENTIAL PREGNANT WOMEN CLASS PROGRAM SUPPORTERS

Potential Component	Tanjung Bintang	Penengahan	Ketapang	Way Urang	Karang Anyar	Amount
Caregiver	56	89	77	78	80	380
Home City	9	22	17	14	12	74
Pregnant women class	9	22	17	15	12	75
Pregnant Women	868	551	449	714	819	3.401
Local Midwife	10	22	17	14	20	83
Health promotor	185	289	225	370	295	1364

J Liaquat Uni Med Health Sci OCTOBER - DECEMBER 2022; Vol 21: No. 04

Sudarmi Sudarmi, Bertalina Bertalina, Yuni Kusmiyati, Abdul Wahab

FIGURE I: MODEL OF PREGNANT WOMEN CLASS (MINISTRY OF HEALTH RI 2014) AND THE RESULTS OF THE DEVELOPMENT OF THE CLASS MODEL FOR PREGNANT WOMEN (RESTIKOL)

Model of pregnant women Class (Ministry of Health 2014) Before Development	The results of the Class model for pregnant women RESTIKOL				
Public needs analysis	Needs Analysis				
Preparatory meetings	Planning (IPC Team)				
Build a team	Socialization				
Socialization	Preparation at the Village levels				
Preparation	Implementation + Reporting				
Implementation and Reporting	Cooperation across programs &	Screening High Risk	g High Risk (HR)		
Monitoring	sectorial education on maternal health	HR: Review + Treatment / Monitor	Not HR		
Evaluation		Meeting 1 RESTKOL Class (IPE-Cp)			
		Meeting 2 RESTKOL Class (IPE-Cp)			
		Meeting 3 RESTKOL Class (IPE-Cp)			
		Meeting 4 RESTIKOL material for pregnant women(IPE-Cp)	Capita Selecta		
	Monitoring				

Monitoring and Evaluation

not, as input for the team to provide interventions according to the mother's condition.

Implementation: meetings in the class of pregnant women are carried out in four meetings with delivery through Inter-Professional Education - Collaboration Practice (IPE-CP). Educational materials on pregnancy, childbirth, care for newborns and postpartum and prevention of complications of pregnancy and childbirth. Pregnant women classified as high risk will have their health conditions checked and given education and particular interventions according to their problems through cross-program and cross-sector collaboration. Among them are the Delivery Planning and Complication Prevention Program, the Supplementary Feeding Program and the administration of Fe tablets. The entire series of class activities for IPE-CP pregnant women are recorded and reported.

Mentoring: After the education package is complete, the mentoring process is continued by the IPC team in collaboration with cross-program and cross-sector teams with village officials and cross-sectoral assistance in the form of the Desa standby program. Assistance is carried out by monitoring the health

TABLE II: PARTICIPANTS' RESPONSES ABOUT THE FEASIBILITY OF IMPLEMENTING A HIGH-RISK PREGNANT WOMAN CLASS WITH THE APPLICATION OF IPE-CP

Ν	Mean	Median	Modus	SD	Min	Мах
100	86,14	90	95	12.171	50	100
100	85.85	88	88	11.159	50	100
100	83.84	85	75	11.117	50	100
100	77.12	77.50	63	16.269	44	100
100	78.52	81	81	10.408	50	94
100	81.94	83	83	12.960	50	100
100	82.32	81	75	10.585	50	100
100	79.64	78	75	12.240	50	100
100	84.26	88	88	11.278	50	100
100	84.75	88	75	10.589	63	100
	100 100 100 100 100 100 100 100 100	100 86,14 100 85.85 100 83.84 100 77.12 100 78.52 100 81.94 100 82.32 100 79.64 100 84.26	10086,149010085.858810083.848510077.1277.5010078.528110081.948310082.328110079.647810084.2688	10086,14909510085.85888810083.84857510077.1277.506310078.52818110081.94838310082.32817510079.64787510084.268888	10086,14909512.17110085.85888811.15910083.84857511.11710077.1277.506316.26910078.52818110.40810081.94838312.96010082.32817510.58510079.64787512.24010084.26888811.278	10086,14909512.1715010085.85888811.1595010083.84857511.1175010077.1277.506316.2694410078.52818110.4085010081.94838312.9605010082.32817510.5855010079.64787512.2405010084.26888811.27850

J Liaquat Uni Med Health Sci OCTOBER - DECEMBER 2022; Vol 21: No. 04

development of pregnant women until the mother undergoes the process of giving birth to her baby.

4. Trial implementation and Evaluate of the IPE-CP pregnant class model

The design of the procedural model that has been tested can be implemented in five classes of pregnant women. After completing the pregnant women class activity procedures, participants and program implementers were asked to assess the model's feasibility based on several assessment indicators by filling out a questionnaire; the following results were obtained in **Table II**.

DISCUSSION

Planning (Inter-Professional Collaboration (IPC) team)

The development in planning the pregnant class is an implementation team consisting of a collaborative interprofessional team. The groups interact and influence each other, are responsible for achieving common goals associated with organizational objectives, and perceive themselves as a social entity within an organization^{15,16}.

Interprofessional Collaboration (IPC) is developing and maintaining effective working relationships between students, practitioners, patients/clients/ families and communities to optimize health services¹⁷. Inter-professional collaboration is in line with the literature study of Bentley; Midwife–physician inter-professional collaboration can be defined by four dimensions (organizational, procedural, relational, and contextual)¹⁸.

Judging from the results of the study of the potential of health workers at the PKM level, several professional health workers are already scattered in every village. The IPC team in implementing the maternity class program can be applied. A study on the application of teamwork by Vestergaard E 2018¹⁹ stated that interprofessional collaboration (IPC) had been emphasized as an effective method for improving patient care delivery. In line with the results of research by Borf E 2019²⁰ the application of inter-professional collaboration involving various professions in the Provision of education positively affects the teaching and learning process. The IPC implementers who cooperate in implementing the class program for pregnant women classified as high risk are expected to be able to maximize the program objectives to be achieved.

Implementation of Screening

Mothers are screened at the beginning of the class meeting to capture pregnant women classified as high -risk. High-risk pregnancies can increase the risk of abnormalities or harm to the mother and fetus^{21,3}. Screening for pregnant women can detect maternal health early and prevent and provide early treatment so that further complications are not expected²².

Zhao Y 2019²³ study on the importance of screening stated, "Every pregnant woman has risks in her

pregnancy even though the early pregnancy shows normal conditions. Kim SY 2018²⁴ also believe that screening or early detection can be helpful for the early detection of prenatal conditions.

The results of the trial using the IPE-CP class model for pregnant women, seen from the responses of pregnant women about the implementation of screening, an average score of 86.1 was found in the good category. The same study by Creedy stated: Screening done through a mobile phone app can effectively screen for physical and mental health conditions²⁵. The results showed that implementing screening for pregnant women is beneficial in the early detection of high-risk pregnancies. The results of pregnancy screening will make it easier for interprofessional teams to collaborate in planning the proper education according to the needs of pregnant women.

3. Implementation of Education with the application of Inter-Professional Education - Collaboration Practice (IPE-CP)

Interprofessional Education-Collaborative Practice (IPE-CP) is an interactive, group-based learning method that creates a collaborative learning atmosphere to create collaborative practice^{26,10}. The purpose of IPE-CP is an inter-professional collaborative practice involving various professions learning how to work together by providing the knowledge, skills and attitudes needed to collaborate effectively27

The development of the Inter-Professional Education -Collaboration Practice model is also strengthened by the results of previous research. It was found that IPE-CP was very effective in increasing the knowledge and attitudes of pregnant women about balanced nutrition²⁸. Similar research was conducted by Klode K 2020²⁹, and the result of Inter-professional collaboration was influenced by the relationships between professionals and sectors involved in antenatal care for pregnant women.

The results of the trial using the KIH model regarding the response of mothers to the implementation of IPE-CP obtained a score of 84.26 in the good category; this means that the application of Inter-Professional Education-Collaboration Practice (IPE-CP) is very appropriate to be carried out in increasing knowledge of pregnant women about how to prevent the early risk of pregnancy and childbirth complications. By obtaining information from experts, it is hoped that pregnant women can gain explicit knowledge of pregnancy care and preparation for the birth of their baby.

4. Mentoring

The implementation of mentoring is carried out after completing the pregnant women's class package meeting. The team carries out Mentoring in collaboration across programs and sectors with village administrators to encourage community participation in the Maternity Planning and Complications Prevention (P4K) Program⁴. Community involvement in implementing health program assistance is needed so that the maximum achievement of health targets can be achieved³⁰.

The mentoring process monitors mothers at high risk during their pregnancy until the mother gives birth to her fetus. Every pregnant woman needs assistance during pregnancy, considering that every pregnancy has a stake in her pregnancy²³; this shows that surveillance during pregnancy and early detection is essential in planning follow-up to minimize the risk to the mother or fetus³¹. The purpose of the assistance is to increase awareness and give special attention to pregnant women at greater risk³².

The research results on the responses of pregnant women from mentoring activities obtained an average score of 84.26% (good category); this means the importance of mentoring activities for pregnant women. The results of the research support Asparian's "there is an effect of mentoring in the class of pregnant women on the visits of pregnant women to health service facilities with a p-value of 0.000³³. The same research study by Mardeni M 2020³⁴ results that professional health workers who conduct home visits (accompaniment) are more effective in improving maternal and fetal well-being, especially in developing countries.

In line with the results of research conducted by previous researchers, there is an effect of mentoring local food consumption (serwit) with the application of IPE-CP) on the nutritional status of pregnant women³⁵. Assistance for pregnant women at high risk is essential, with the healthy development of pregnant women and their fetuses being monitored and can be handled appropriately and quickly if pregnant women experience problems in their pregnancy.

CONCLUSION

This research obtained a class model for pregnant women, which aims to increase the knowledge of pregnant women who are classified as high risk by developing a class for pregnant women according to the condition of pregnant women and the availability of health workers. The procedural models developed include the pregnant women's class implementation team from the Inter-professional Collaboration Team (IPC), screening to see the mother's health condition, and assistance to involve cross-program and crosssector collaboration. Implementing classes for at-risk pregnant women with the Inter-Professional Education -Collaboration Practice (IPE-CP) can provide a good response from pregnant women, especially in terms of benefits. They can be applied as an alternative to providing education to pregnant women. Pregnant women are at high risk, and further research is needed to obtain other procedures like an application or online system to prepare knowledge of pregnant women according to the needs of pregnant women in the local community.

Ethical Permission: ERC Exemption letter from Health Polythecnic Tanjungkarang, Indonesia No. 256/KEPK-TJK/IV/2020, Dated: 28-04-2020.

Conflict of Interest: The authors have no conflict of interest to declare.

Financial Disclosure / Grant Approval: No funding agency was used for this research.

Data Sharing Statement: The data supporting this study's findings are available on request from the corresponding author. The data are not publicly available due to privacy or ethical restrictions.

AUTHOR CONTRIBUTIONS

Sudarmi S: Research design, data collection, analysis Bertalina B: Research design, data analysis

Kusmiyati Y: Data collection, data analysis Wahab A: Data collection, data analysis,

REFERENCES

- 1. BAPPENAS. Indonesia MDG Acceleration Framework. Accelerating progress towards improving maternal health in Central Java. Jakarta; 2013. Available from: https://sdgfunders. org/reports/mdg-acceleration-frameworkaccelerating-progress-towards-improvingmaternal-health-in-central-java/
- Ministry of Health, Indonesia. Basic Data of Community Health Service, Condition in December 31st 2018. Jakarta; 2019. Available from: https://www.who.int/docs/default-source/gho -documents/health-equity/state-of-inequality/12dec-final-final-17220-state-of-health-inequality-inindonesia-for-web.pdf?sfvrsn=54ae73ea_2
- Suarayasa. K. Strategies to reduce the Maternal Mortality Rate (MMR) in Indonesia. Yogyakarta: CV Budi Utama Publisher; 2020. Available from: https://opac.perpusnas.go.id/detailopac.aspx id=1301122
- Indonesian Ministry of Health. Rules from Ministry of Health Indonesia No. 75 Year 2014 about central health of society. Jakarta; 2014. Available from: http://hukor.kemkes.go.id/uploads/produk_ hukum/pmk%20no.%2075%20ttg% 20puskesmas.pdf
- 5. Indonesia Ministry of Health. Guidelines, Implementation of Classes for Pregnant Women. Jakarta Directorate General of Nutrition and Maternal Child Health. Jakarta; 2014. Available from: https://libportal.jica.go.jp/library/archive/ indonesia/232i.pdf
- Sari Wahyu Anjas, Sari N, Suhita BM. Effect Of Knowledge, Attitude, Role Of Health Officers And Family Support On Early Detection Of Pregnancy Signs With The Quality Of Utilization Of The Mch Handbook In The Puskesma Region Kesamben

Development of a High-Risk Pregnant Women Class Model

Jombang Regency. JGRPH [Internet]. 2019 Apr. 19; 4(1):15-24. Available from: https:// www.jgrph.org/index.php/JGRPH/article/view/14

- Oechsle Anja, Wensing M, Ullrich C, Bombana M. Health knowledge of lifestyle-related risks during pregnancy: a cross-sectional study of pregnant women in Germany. Int J Environ Res Public Health. 2020; 17(22): 8626. doi: 10.3390/ijerph 17228626.
- 8. Mohamed Saffa, Ahmed AA. Educational program for health literacy among pregnant women with gestational diabetes: Its effect on Maternal & fetal outcomes. Int J Nurs Didactics. 2019; 9(04):61-72.
- Dahl BM, Crawford P. Perceptions of experiences with interprofessional collaboration in public health nursing: A qualitative analysis. J Interprof Care. 2018; 32(2): 178-184. doi: 10.1080/13561820. 2017.1386164. Epub 2017 Oct 24.
- Escalda P, Parreira C. Dimensions of interprofessional work and of collaborative practices developed at a primary care unit by a Family Health team. Interface-Comunicação, Saúde, Educação. 2018; 22: 1717-27. doi: 10.1590/1807-57622017.0818.
- 11. Borg 8th, Borg WR, Gall MD, Gall JP. Educational Research: An Introduction, Fifth Edition. New York: Longman Inc. 1989.
- 12. Dick W, Carey L, Carey JO. The systematic design of instruction (5th ed.). New York: Longman; 2001.
- Federer WT. Statistical design and analysis for intercropping experiments: Volume 1: Two crops. New York: Springer Science & Business Media; 2012.
- 14. Sudjana N. Assessment of the Teaching and Learning Process Results. Bandung: Remaja Rosdakarya. 2017. Available from: https:// opac.perpusnas.go.id/detailopac.aspx? id=586982
- 15. Morden Tony. Principles of Management. 2nd Edition. London. Routledge; 2017.
- Altmiller G. Interprofessional teamwork and collaboration. Quality and Safety Education for Nurses: Core Competencies for Nursing Leadership and Care Management. Quality and Safety Education for Nurses, 3rd Edition. New York: Springer Publishing; 2022; Available from: https://connect.springerpub.com/content/book/978 -0-8261-6145-1/part/part02/chapter/ch07.
- Fox L, Onders R, Hermansen-Kobulnicky CJ, Nga Nuyen T, Myran L, Linn B et al. Teaching interprofessional teamwork skills to health professional students: A scoping review. J Interprof Care. 2018; 32(2): 127-135. doi: 10.1080/13561820.2017.1399868. Epub 2017 Nov 27.
- Bentley M, Freeman TBaum F, Javanparast S. Interprofessional teamwork in comprehensive primary healthcare services: Findings from a mixed methods study. J Interprof Care. 2018; 32

(3): 274-283. doi: 10.1080/13561820.2017.140 1986.

- Vestergaard E, Norgaard B. Interprofessional collaboration: An exploration of possible prerequisites for successful implementation. J Interprof Care. 2018; 32(2): 185-195. doi: 10.1080/13561820.2017.1363725. Epub 2017 Nov 16.
- 20. Borf E, Drange I. Interprofessional collaboration in school: Effects on teaching and learning. Improving Schools. 2019; 22(3): 251-266. doi: 10.1177/1365480219864812.
- 21. Holness N. High-risk pregnancy. Nurs Clin North Am. 2018; 53(2): 241-251. doi: 10.1016/j.cnur. 2018.01.010.
- 22. Nur R. Detection mapping of women with high-risk pregnancy in antenatal care in kamonji public health center, Palu City, Indonesia. Syst Rev Pharm. 2020; 11(2): 642-647. doi: 10.5530/srp. 2020.2.92.
- Zhao Y, Munro-Kramer ML, Shi S, Wang J, Zhao Q. Effects of antenatal depression screening and intervention among Chinese high□risk pregnant women with medically defined complications: A randomized controlled trial. Early Interv Psychiatry. 2019; 13(5): 1090-98. doi: 10.1111/ eip.12731. Epub 2018 Aug 30.
- 24. Kim SY, Lee SM, Jun JK, Han YJ, Kim MH, Shim Y et al. Prospective observations study protocol to investigate cost-effectiveness of various prenatal test strategies after the introduction of noninvasive prenatal testing. BMC Pregnancy and Childbirth. 2018; 18(1): 1-7.
- Creedy DK, Baird K, Gillespie K. A cross-sectional survey of pregnant women's perceptions of routine domestic and family violence screening and responses by midwives: testing of three new tools. Women Birth. 2020; 33(4): 393-400. doi: 10.1016/j.wombi.2019.06.018. Epub 2019 Jul 8.
- Currie, Paula S, Billingsley DNP, Luanne G, Ryan, Wood et al. Infusing Interprofessional Education Core Competencies and Collaborative Practice Into Standards-Driven Curricula. Collaborative Healthcare: J Interprof Pract Educ Eval. 2021; 11 (2): Article No.11.
- Danielson J, Willgerodt M. Building a theoretically grounded curricular framework for successful interprofessional education. Am J Pharm Educ. 2018; 82(10): 7075. doi: 10.5688/ajpe7075.
- Sudarmi S, Bertalina B, Aprina A. Efektifitas penerapan interprofessional educationcollaborative practice (IPE–CP) tentang gizi seimbang terhadap pengetahuan dan sikap ibu hamil. Aceh Nutrition J. 2020; 5(1): 71-79. doi: 10.30867/action.v5i1.212.
- 29. Klode K, Ringer A, Holge-Hazelton B. Interprofessional and intersectoral collaboration in the care of vulnerable pregnant women: An

Sudarmi Sudarmi, Bertalina Bertalina, Yuni Kusmiyati, Abdul Wahab

interpretive study. J Interprof Care. 2020; 1-10. doi: 10.1080/13561820.2020.1761306. Online ahead of print.

- Leverack G, Pratley P. What Quantitative and Qualitative Methods Have Been Developed to Measure Community Empowerment at a National Level? [Internet]. WHO Health Evidence Network Synthesis Reports. 2018.
- Pucci L, Massacesi M, Liuzzi G. Clinical management of women with listeriosis risk during pregnancy: a review of national guidelines. Expert Rev Anti Infect Ther. 2018; 16(1): 13-21. doi: 10.1080/14787210.2018.1417837. Epub 2017 Dec 22.
- 32. Rahayu DT, Askabulaikhah. Private Community Assistance in Antenatal Care at High Risk Pregnant Women in Public Health Center of Jelakombo Jombang. J Kebidanan Midwiferia.

2020; 6(1): 14-20. doi: 10.21070/midwiferia. v6ii.423.

- Asparian A, Rinie WNE, Fitri A. Assistance for Pregnant Women Through Planning Programs Delivery and Complications Prevention Program (P4K) in the village Pondok Meja sub district Mestong, Muaro district Jambi Year 2019. J Salam Sehat Masyarakat. 2019; 1(1): 43-49.
- Mardeni M. Information System For Monitoring Of Pregnant Mother In Riau Province Health Office. J Appl Engineer Technol Sci. 2020; 1(2): 85-90. doi: 10.37385/jaets.v1i2.59.
- 35. Sudarmi S, Bertalina B, Berawi K. Assistance Intervention in the form of Distribution of Local Food (Serwit) With the Implementation of Interprofessional Education- Collaborative Practices On Nutritional Status of Pregnant Women. Eur J Mol Clin Med. 2020; 7(9): 129-204.

AUTHOR AFFILIATION:

Sudarmi Sudarmi (Corresponding Author) Midwifery Department Health Polythecnic Tanjungkarang Lampung, 35141, Indonesia. Email: sudarmi@poltekkes-tjk.ac.id

Bertalina Bertalina

Nutrition Department Health Polythecnic Tanjungkarang Lampung, 35141, Indonesia.

Yuni Kusmiyati

Midwifery Departement Health PolythenicYogyakarta Yogyakarta, Indonesia.

Abdul Wahab

Faculty of Medicine The Department of Biostatistics Epidemiology and Population Health Public Health and Nursing Universitas Gadjah Mada, Indonesia.



2022 © This is an Open Access article distributed under the terms of the Creative Commons Attribution – Non-Commercial 4.0 International License, which permits unrestricted use, distribution & reproduction in any medium provided that the original work is cited properly.